

2018 CWIS Rhizome Sale

MDBs

Chocolate Chips (J. T. Aitken, R. 2016) MDB, 5" (13 cm), Midseason late bloom. Standards and style arms chocolate brown; Falls cream, chocolate brown plicata edge, broken ray pattern near beard; beards orange. Parentage unknown. **\$6**

<http://wiki.irises.org/Main/Mdb/MdbChocolateChips>

Fairy Firefly (J. Terry Aitken, R. 2016) Seedling 05M7D. MDB, 5" (13 cm), Midseason bloom. Standards brilliant orange crush orange; style arms brilliant orange; falls brilliant orange, red-orange spot, orange zonal spot at hafts; beards brilliant orange. Salmon Creek 2015. **\$4**

<http://wiki.irises.org/Main/Mdb/MdbFairyFirefly>

Forever Violet (Chuck Chapman, R. 2002). Seedling #95-009-4. MDB, height 7.5" (19 cm). Late midseason bloom and rebloom. Standards violet, base darker; falls violet, darker hafts and line from end of dark violet beard to edge; tailored. Chapman 2002. **\$2**

<http://wiki.irises.org/Main/Mdb/MdbForeverViolet>

Hot Coals (J. Terry Aitken, R. 2014) Seedling #05M7B. MDB, 5" (13 cm). Late midseason bloom. Standards and style arms apricot-orange; falls red-black, light orange hafts and hairline edge; beards bright orange. Seedling #01M11: Salmon Creek 2014. **\$5**

<http://wiki.irises.org/Main/Mdb/MdbHotCoals>

Hot Tip (J. Terry Aitken, R. 2013) MDB. Seedling #05M7A. MDB, 7" (18 cm). Midseason bloom. Standards bright yellow; falls bright yellow rim, deep burgundy-red spot, bright yellow hafts; beards bright orange. Salmon Creek 2013. **\$5**

<http://wiki.irises.org/Main/Mdb/MdbHotTip>

Moon Drops (Frank A. Williams, R. 1973). Seedling #P14. MDB, 6" (15 cm). Midseason bloom. Golden yellow self; beard deep orange near tip. Williams 1974. **\$3**

<http://wiki.irises.org/Main/Mdb/MdbMoonDrops>

Passion Bleue (Jean Peyrard, R. 1994). Seedling PN 89/3-8. MDB, 6" (15 cm). Midseason bloom. Standards and style arms purple violet; falls darker, with short white streak below beard; beards pale blue violet, base white. Iris au Trescols 1995. **\$2**

<http://wiki.irises.org/Main/Mdb/MdbPassionBleue#>

Puppet Baby (Carl Boswell, R. 1981). Seedling #69-71. MDB, height 7" (18 cm). Early bloom, Blue lavender; plum brown hafts. Boswell 1982. Honorable Mention 1985; Award of Merit 1989; Caparne-Welch Medal 1991. **\$2**

<http://wiki.irises.org/Main/Mdb/MdbPuppetBaby>

Pussytoes (Dorothy and Anthony Willott, R. 1981). Seedling #78-261. MDB, height 5" (13 cm). Midseason bloom. Standards white, slightly tinged green; falls white, washed green; white beard. 'Wilma Greenlee' X Greenlee seedling #GX-9. Willott 1982. Honorable Mention 1984; Award of Merit 1987; Caparne-Welch Medal 1990. **\$2**

<http://wiki.irises.org/Main/Mdb/MdbPussytoes>

Sparky (J. Terry Aitken, R. 1983). Seedling #80-15A. MDB, height 6" (15 cm). Midseason to late bloom. Violet with small deep purple spot around beard; frosty light violet beard. Aitken's Salmon Creek Garden 1984. Honorable Mention 1986; Award of Merit 1989; Caparne-Welch Medal 1993. **\$3**

<http://wiki.irises.org/Main/Mdb/MdbSparky>

SDBs

Autumn Jester (Chuck Chapman, R. 2000). Seedling 92-12-1. SDB, height 13" (33 cm), Early bloom and rebloom. Purple self; beards purple; taller (22") on Fall rebloom.. Chapman 2000. **\$3**

<http://wiki.irises.org/Sdb/SdbAutumnJester>

Baby Blessed (Lloyd Zurbrigg, R. 1979). Seedling K 1 A., R. SDB, height 10" (25 cm), Early bloom and rebloom (Sept. & Oct. in VA). Light yellow with small white spot on Falls; cream beard. Avonbank 1979. Honorable Mention 1981; Award of Merit 1986; Cook-Douglas Medal 1989. **\$3**

<http://wiki.irises.org/Sdb/SdbBabyBlessed>

Banbury Ruffles (David Reath, R. 1970). Seedling A-6-64., R. SDB, height 15" (38 cm), Very early bloom. Rich blue self with darker blue spot on Falls, ruffled. Schreiners 1970. High Commendation 1968, Honorable Mention 1971. **\$3**

<http://wiki.irises.org/Sdb/SdbBanburyRuffles>

Blend of Blue (J. Terry Aitken, R. 2012) Seedling 06M2A. SDB, 12 (30 cm). Midseason bloom. Standards blue-lavender, dark at petal base blending to light blue-lavender at edges; style arms dark blue-lavender; Falls dark blue-lavender at hafts blending lighter at petal edges; beards white; slight sweet fragrance. Salmon Creek 2012. **\$4**

<http://wiki.irises.org/Sdb/SdbBlendOfBlue>

Boo ([Lynn Markham](#), R. 1971). SDB, height 12" (30 cm), Midseason bloom. Standards white; falls white with distinct dark blue-purple spot; cream-yellow beard. '[Elisa Bee](#)' X Warburton seedling# 721J-1: ('[Fairy Flax](#)' x '[Blue Denim](#)') x sibling). Warburton 1971. Honorable Mention 1972; Judges Choice 1973; Award of Merit 1975.

<http://wiki.irises.org/Sdb/SdbBoo>

Brass Ring (Anthony & Dorothy Willott, R. 1972). Seedling 71-1., R. SDB, height 13" (33 cm), Early bloom. Standards full yellow; Falls deep yellow, edged full yellow; orange beard. Willott 1972. Honorable Mention 1976. **\$3**

<http://wiki.irises.org/Sdb/SdbBrassRing>

Candy Apple (Melba Hamblen, R. 1972). Seedling M67-1-5. SDB, height 12" (30 cm), Midseason bloom. Standards red purple (RHS 71A); falls same with grayed purple (187B) overlay; violet beard. Mission Bell 1972. High Commendation 1971; Honorable Mention 1973; Judge's Choice 1973, 1974; Award of Merit 1975. **\$2**

<http://wiki.irises.org/Sdb/SdbCandyApple>

Cat's Eye (Paul Black, R. 2002). Seedling H238CC. SDB, height 15" (38 cm), Midseason bloom. Standards and style arms mauve rose; Falls dark red texture-veined black, wide mauve rose band; beards old gold, violet base; slight spicy fragrance. Mid-America 2002. Honorable Mention 2004; Award of Merit 2006; Cook-Douglas Medal 2008. **\$3**

<http://wiki.irises.org/Sdb/SdbCatsEye>

Cherry Garden (Bennett Jones, R. 1966). Seedling M134-1. SDB, 15" (38 cm), Midseason bloom. Jones 1967. High Commendation 1966; Honorable Mention 1968; Judges Choice 1968, 1969; Award of Merit 1970; Cook-Douglas Medal 1972. **\$2**

<http://wiki.irises.org/Sdb/SdbCherryGarden>

Cimarron Rose (Hooker Nichols, R. 1988). Seedling 8628F. SDB, height 14" (46 cm) Midseason to late bloom and rebloom. Standards ruffled grey red blend; Falls tan grey-red, deeper spot; brown tipped blue beard. Hillcrest 1990. **\$3**

<http://wiki.irises.org/Sdb/SdbCimarronRose>

Conundrum (Chuck Chapman, R. 2009). Seedling 01-24-1. SDB, 12" (30 cm), Midseason bloom. Standards cream ground, light olive rim, center splashed light purple; style arms light olive; Falls cream ground, light olive rim, inner rim streaked light purple, some veins; beards cream white base, hairs tipped yellow. Chapman 2009. **\$5**

<http://wiki.irises.org/Sdb/SdbConundrum>

Death By Chocolate (Augusto Bianco, R. 2001). Seedling 714. SDB, height 12" (30 cm),

Midseason bloom. Standards chocolate; style arms rust and chamois; Falls coffee, veined darker; beards rust; pronounced sweet fragrance. Irise 2002. **\$4**

<http://wiki.irises.org/Sdb/SdbDeathByChocolate>

Dragon's Den (Chuck Chapman, R. 2002). Seedling 94-120-1. SDB, Height 13" (33 cm), Midseason late bloom. Standards and Falls dusty rose pink with darker center blending to dusty apricot edge; style arms dusty rose pink; beards dark coral red, base blue. Chapman 2002. **\$3**

<http://wiki.irises.org/Sdb/SdbDragonsDen>

Dragonet (Marky Smith, R. 2012) Seedling 06-01R. SDB, 14" (36 cm). Early midseason to late bloom. Standards blackened port-wine, much blacker than RHS colors, deep red glow in sunlight; style arms deep red crests and ribs, sides are browner; Falls blackened port-wine velvet, definite dark-red highlights, faint lavender darts around beard; beards smoky grey-violet, tipped gold (RHS 163B); pronounced sweet fragrance; ruffled. **\$5**

<http://wiki.irises.org/Sdb/SdbDragonet>

Fairy Fireworks (J. Terry Aitken, R. 2014) Seedling 07M7. SDB, 12" (30 cm), Midseason late to very, very late bloom. Standards white, dark purple band; style arms dark purple; Falls same as standards, tiny dark purple dart below beard; beards white, violet tips. Salmon Creek 2014. **\$4**

<http://wiki.irises.org/Sdb/SdbFairyFireworks>

Fern's Magic (Denise Stewart, R. 2008) Seedling DD120-04. SDB, height 14" (36 cm), Midseason bloom. Standards light straw yellow, lavender midrib; style arms darker yellow blended lavender; Falls dark straw veined butterscotch, light straw rim; beards mandarin orange in throat, lavender at end, bushy; slight musky fragrance. Snowpeak 2009. **\$4**

<http://wiki.irises.org/Sdb/SdbFernsMagic>

Fido (Paul Black, R. 2010) Seedling O334A. SDB, 12" (30 cm), Midseason late bloom. Standards butter yellow, wide rosewood plicata band and center dotting; style arms medium apricot; Falls light yellow, narrow feathery dark brown plicata bands, cream white area around beards lined and veined dark brown to plum; beards white base tipped red orange; slight musky fragrance. Mid-America 2010. **\$4**

<http://wiki.irises.org/Sdb/SdbFido>

Going in Circles (Paul Black, R. 2013) Seedling# R269D. SDB, 13" (33 cm), Early to midseason bloom. Standards mid light lilac, grey-blue textured veins; style arms light old gold crests, edge and midrib, mid grey-blue center; falls mid garnet, short white veins beside beards, 3/4" mid light lilac band; beards marigold in throat, mid yellow in middle, white at end;

slight musky fragrance. Mid-America 2013. Honorable Mention 2015. **\$4**

<http://wiki.irises.org/Sdb/SdbGoingInCircles>

Gold Reward (J. T. Aitken, R. 2016) Seedling 06M25. SDB, 10" (25 cm), Midseason late bloom. Deep rich gold self; beards dark inky blue. Salmon Creek 2015. **\$5**

<http://wiki.irises.org/Sdb/SdbGoldReward>

Gypsy Eyes (Julius Wadekamper by G. Hanson, R. 1980). Seedling# 74-1. SDB, 14" (35 cm), Midseason bloom. Ruffled creamy white with mulberry plicata markings; gold beard shaded to lavender. Unknown parentage. Riverdale Iris 1980. **\$3**

<http://wiki.irises.org/Sdb/SdbGypsyEyes>

Jewel Baby (Earl Hall, R. 1984). Seedling# 81-26-3C. SDB, 12" (30 cm), Very early to very late bloom and rebloom. (October in Ohio). Dark purple (RHS 79A); mid-violet beard; slight spicy fragrance. Hall's Flower Garden 1984. HM 1987, AM 1989. **\$3**

<http://wiki.irises.org/Sdb/SdbJewelBaby>

Jillaroo (Allan Ensminger, R. 1983). Seedling# 180-4. SDB, 13" (33 cm), Late midseason bloom. Standards lobelia blue (HCC 41/1); falls brown; lobelia blue (41) beard. . Varigay Gardens 1984. **\$2**

<http://wiki.irises.org/Sdb/SdbJillaroo>

Jungle Gem (J. Terry Aitken, R. 2000). Seedling# 94 M1-33. SDB, 12" (30 cm), Late midseason bloom. Standards tan; falls glossy red; beards yellow. Parentage unknown. Aitken 2000. **\$3**

<http://wiki.irises.org/Sdb/SdbJungleGem>

Knotty Pine (John E. Goett, R. 1959). Seedling# 91-AI. SDB, 13" (33 cm), Early bloom. Color Class-YO5D, Standards tan; falls brown. Goett 1961. Award of Merit 1967; Cook-Douglas Medal 1970. **\$2**

<http://wiki.irises.org/Sdb/SdbKnottyPine>

Lemon On Ice (Chuck Chapman, R. 1994). Seedling# 87-G. SDB, 10" (25 cm), Midseason bloom. Standards light yellow; falls white, light yellow lines in throat; beards white, tipped yellow. Parentage unknown. Chapman Iris 1994. **\$2**

<http://wiki.irises.org/Sdb/SdbLemonOnIce>

Lumalite (J. Terry Aitken, R. 1995). Seedling# 88M3A. SDB, 14" (36 cm), Early midseason bloom. Standards white; style arms yellow; falls yellow, flushed green, rim white; beards red. Aitken's Salmon Creek 1995. **\$3**

<http://wiki.irises.org/Sdb/SdbLumalite>

Luminaire (J. T. Aitken, R. 2016) SDB, 9" (23 cm), Midseason late bloom. Standards and style arms red-black; Falls red-black, white zonal spot with red-black rays/veins; beards white. Parentage unknown. Salmon Creek 2016. **\$6**

<http://wiki.irises.org/Sdb/SdbLuminaire>

Menehune (Marky Smith, R. 2012) Seedling# 07-04A. SDB, 12 (30 cm). Early to midseason bloom. Standards deep red toned black, far blacker than RHS 187A; style arms dark red-violet, near black crests, gold edges; falls velvet burnt umber-black, red wire edge, small surround of pure yellow feathers at beards; beards yellow orange (21C) ends, darker orange in throat; some ruffles. Salmon Creek 2016. **\$5**

<http://wiki.irises.org/Sdb/SdbMenehune>

Northern Exposure (Chuck Chapman, R. 2002). Seedling# 95-087-1. SDB, 11" (28 cm), Early midseason bloom. Standards and style arms light greyed yellow; falls white ground, faint blue plicata wash, stippling and dotting in wide marginal band, dark yellow brown haft lines; beards blue violet, hairs tipped orange. Chapman 2002. **\$3**

<http://wiki.irises.org/Sdb/SdbNorthernExposure>

Overcast (Keith Keppel, R. 2005). Seedling# 99-24G. SDB, height 14" (36 cm), Midseason bloom. Standards light ecru-tan (M&P 11-G-1 to 12-G-1/2) flushed lavender (44-C-6); style arms lavender, crests pineapple (11-J-2); falls lavender blue (43-E-9) shading to chartreuse yellow (11-G-1) edge and slightly deeper (11-G-2) hafts, fine hazel (13-J-9) and white haft reticulations; beards cream, tipped light yellow at end, bronze in throat. Keppel 2006. **\$4**

<http://wiki.irises.org/Sdb/SdbOvercast>

Pal Sam (Joseph Gatty, R. 1986). Seedling# M57-1A. SDB, 12" (30 cm), Midseason bloom. Standards white, widely bordered imperial purple (M&P 45-H-9); falls oyster (10-B-1), straw (10-F-2) hafts, small maroon purple (56-H-2) haft area and wire rim; white to light yellow beard, yellow orange in throat. Keppel 1987. **\$2**

<http://wiki.irises.org/Sdb/SdbPalSam>

Pumpkin Center (Bennett Jones, R. 1988) Seedling# M346-1. SDB, 10" (25 cm), Midseason bloom. Warm white, pumpkin orange spot pattern on Falls; tangerine beard; slight fragrance. B Jones 1989. Honorable Mention 1991; Award of Merit 1993. **\$3**

<http://wiki.irises.org/Sdb/SdbPumpkinCenter>

Red Heart (Alta Brown, R. 1966). Seedling# M902-I. SDB, 13" (33 cm), Early bloom. Color

Class-BV4R, Standards lavender-blue; falls bright oxblood red (Wilson 823/1) with 1/4" even border of lavender-blue; pale lavender beard. Brown's Iris Gardens 1967. **\$2**

<http://wiki.irises.org/Sdb/SdbRedHeart>

Ruby Passion (Chuck Chapman, R. 2004). Seedling# 96-034-3. SDB, 11" (30 cm), Midseason bloom. Standards dark ruby red, yellow infusion at base; style arms yellow at base, dark red at top; falls wide dark ruby red edges and stripes on bright yellow ground; beards orange. Chapman 2004. **\$3**

<http://wiki.irises.org/Sdb/SdbRubyPassion>

Show Me Yellow (Dorothy Anderson, R. 1988). Seedling# 51-23. SDB, 12" (30 cm), Midseason to late bloom. Full yellow; yellow beard; slight fragrance. Adamgrove 1990. **\$2**

<http://wiki.irises.org/Sdb/SdbShowMeYellow>

Snow Season (Evelyn Jones, R. 1992). Seedling# 189-24-4. SDB, 14" (36 cm), Midseason bloom. White self; pale lilac pink beards. Bennett Jones 1993. Honorable Mention 1995. **\$3**

<http://wiki.irises.org/Sdb/SdbSnowSeason>

Solar Flight (Earl Roberts, R. 1972). Seedling# 71R24. SDB, 14" (36 cm), Midseason bloom. Standards golden yellow; falls slightly deeper; tangerine beard. E Roberts 1973. **\$2**

<http://wiki.irises.org/Sdb/SdbSolarFlight>

Tribble (Connie Sutton, R. 2006) Seedling# CS-201. SDB, 12" (30 cm), Early midseason bloom. Standards white ground, violet blue wash; style arms pale salmon, violet blue at base; falls white ground, violet blue plicata edge; beards violet blue, tangerine in throat; pronounced spicy fragrance. Sutton 2007. **\$4**

<http://wiki.irises.org/Sdb/SdbTribble>

Tropical Shoals (Donald Spoon, R. 2002). Seedling# 97-688T. SDB, height 9" (23 cm), Early to midseason bloom. Standards light turquoise; style arms same, edge pink; Falls light turquoise, darker turquoise spot; beards light turquoise. Winterberry 2002. **\$4**

<http://wiki.irises.org/Sdb/SdbTropicalShoals>

MTBs

Aachen Elf (Lois Kennedy, R. 1984). Seedling #845-76-1. MTB, 20" (51 cm), Midseason bloom. Standards yellow; falls lavender, edged yellow; yellow beard. Redstone Nursery 1984. High Commendation 1979, 1981; Honorable Mention 1986; Williamson-White Award 1988. **\$5**

<http://wiki.irises.org/Mtb/MtbAachenElf>

Ace (Lynda Miller R. 1999). Seedling #4094B. MTB, 22" (56 cm), Midseason bloom. Standards white ground, deep violet overlay; style arms white, violet midrib; falls white ground, deep violet center line, dots and solid border; beards pale violet, hairs tipped golden bronze; slight musky fragrance. Miller's Manor 1999. Honorable Mention 2001; Award of Merit 2003; Williamson-White Medal 2005. **\$4**

<http://wiki.irises.org/Mtb/MtbAce>

At Last My Blue (Kenneth Fisher R. 2015) Seedling 7B7. MTB, 20" (51 cm), Late bloom. Standards medium blue; Falls same, white veined blaze; beards yellow in throat, light yellow in middle, white end. 2015 Salmon Creek. **\$5**

<http://wiki.irises.org/Mtb/MtbAtLastMyBlue>

Black Cherry Sorbet (Chad Harris, R. 2015) Seedling 08MTB2. MTB, 22" (56 cm), Early bloom. Standards black cherry-red (RHS 183A); style arms buckskin tan (164B); Falls orchid (186C) ground heavily veined black cherry-red (187A); beards bright lemon yellow (13A); slight spicy fragrance. Mount Pleasant 2016. **\$6**

<http://wiki.irises.org/Mtb/MtbBlackCherrySorbet>

Dappled Pony (Jean Witt, R. 1980). Seedling #78-06-XR. MTB, height 15" (38 cm), Midseason bloom. Standards white ground with tiny medium violet-blue dots; falls white ground with larger and slightly darker dots; yellow beard. Witt 1981. Honorable Mention 1984. **\$5**

<http://wiki.irises.org/Mtb/MtbDappledPony>

Dotted Doll (James and Lucy Fry, R. 1986). Seedling #78-F-18. MTB, Height 18" (46 cm), Midseason bloom. White, dotted blue; bronze beard. J. & L. Iris 1987. Honorable Mention 1989. Award of Merit 1993. **\$3**

<http://wiki.irises.org/Mtb/MtbDottedDoll>

Freckle's Sister (Chuck Chapman, R. 2009). Seedling #00-255-A. MTB, 20" (51 cm), Midseason bloom. Standards light tan, lightly freckled with small violet dots; style arms light tan; falls cream ground heavily dotted violet, heavier near edge; beards yellow, white at end. Chapman 2009. **\$4**

<http://wiki.irises.org/Mtb/MtbFrecklesSister>

Going Dotty (Stephanie Markham, R. 2010) Seedling #02-04A. MTB, 20" (51 cm), Midseason bloom. Standards cream ground sanded overall with dark red violet dotting; style arms red violet, yellow on sides; falls white ground heavily marked with red violet dotting; beards gold; red-purple wash on buds, spathes, stem joints and at base of foliage; slight fragrance. Salmon Creek 2010. **\$5**

<http://wiki.irises.org/Mtb/MtbGoingDotty>

Honorable (Jean-Nicolas Lémon, 1840). MTB, Midseason bloom. Color Class Y9M, red and yellow variegata. **Note:** Although registered as IB, Honorable is considered an MTB. **\$4**

<http://wiki.irises.org/Mtb/MtbHonorable>

New Idea (Ben Hager, R. 1970). Seedling #MTB2009A. MTB, height 26" (66 cm), Early Midseason bloom. Rosy mulberry self; yellow beard. Melrose Gardens 1970. Honorable Mention 1971; Williamson-White Award 1976. **\$3**

<http://wiki.irises.org/Mtb/MtbNewIdea>

Ozark Charmer (Kenneth Fisher, R. 2009). Seedling #05-8. MTB, 19" (48 cm). Late bloom. Standards, style arms and falls wine red; beards yellow in throat, white at end. Salmon Creek 2010. **\$5**

<http://wiki.irises.org/Mtb/MtbOzarkCharmer>

Parakeet (Earl Roberts, R. 1957). Seedling #A-400. MTB, 18" (46 cm), Midseason bloom. Color Class-Y5L, Standards greenish buff; falls greenish buff overlaid heliotrope, border like standards; orange beard. Melrose 1958. **\$5**

<http://wiki.irises.org/Mtb/MtbParakeet>

Pixie-Wan Kenobi (Charles Bunnell R. 2015). Seedling# P52-1. MTB, 20-22" (51-56 cm), Late midseason bloom. Standards pale yellow ground which may fade to cream, rose-purple dots and veins; style arms antique gold; falls white ground, broken violet veins and dots, very slight yellow tint on edge; beards pale yellow in throat and middle, white end, hairs tipped dark violet. Introduced 2016 Salmon Creek. **\$7**

<http://wiki.irises.org/Mtb/MtbPixiWanKenobi>

Pretty Pony (Jean Witt, R. 2003). Seedling #00-01-N8. MTB, 23" (58 cm) Midseason bloom and rebloom. Standards white ground with near-solid blue violet dotting; style arms medium blue violet; falls white ground, blue violet dotting mostly on outer half and concentrated near distal end, haft striped; beards yellow; leaf bases purple; slight fragrance. Salmon Creek 2012. **\$5**

<http://wiki.irises.org/Mtb/MtbPrettyPony>

Syncopated Rhythm (Stephanie Markham, R. 2016). Seedling# 07-65A. MTB, 26" (66 cm). Late midseason bloom. Standards and style arms bright yellow; falls white ground in center, shading to yellow at edges, dark red dotting covering petal surface, dotting varies from very light sanding to very heavy dotting depending on weather conditions and can include occasional irregular red splashes; beards bright gold, long and pointed. **\$6**

<http://wiki.irises.org/Mtb/MtbSyncopatedRhythm>

Tyke (Bee Warburton, R. 1985). Seedling #3BB-1. MTB, 18-20" (46-51 cm), Early to midseason bloom. Standards bluish off-white; falls. near black (darker than 79A to 83A), white markings extending halfway down; whitish beard. Joe Pye Weed's Garden 1986. **\$4**

<http://wiki.irises.org/Mtb/MtbTyke>

IBs

Eramosa Stone Washed (Chuck Chapman, R. 2014) Seedling #06-064-1. IB, 22" (56 cm), Early, midseason and late bloom. Standards heavy wash of lavender-blue on white ground; style arms lavender-blue; falls same as Standards; beards lavender-blue, lightly tipped bronze; slight sweet fragrance. Chapman 2014. **\$4**

<http://wiki.irises.org/Ib/IbEramosaStoneWashed>

Fanta (Marky Smith, R. 2014) Seedling #10-08A. IB, 24" (61 cm), Early midseason to late midseason bloom. Standards orange juice (RHS 28C) edge, centers paler (28D), green midrib; style arm crests orange (28D), pale yellow sides, white midrib; falls mirabelle orange (26B) shoulders, lighter goldenrod (21D) centers, lightly ruffled, heavier on distal edge; beards large, fuzzy, vermilion (33A) in throat and middle, cream yellow (21D) ends; glaciata; pronounced musky fragrance. **\$9**

<http://wiki.irises.org/Ib/IbFanta>

Gypsy Queen (John Salter, before 1859) IB. Midseason late bloom. Color Code S6M. **\$4**

<http://wiki.irises.org/Ib/IbGypsyQueen>

Holiday Flame (Schreiners, R. 1987). Seedling #R 1013-A. IB, 16" (41 cm), Very early bloom. Naples yellow (HCC 403/1) with peach (512/2) spot around carrot red beard. Unknown parentage. Schreiner 1987. **\$5**

<http://wiki.irises.org/Ib/IbHolidayFlame>

Interim (Orpha Salsman, R. 1961). Seedling #M57-1. IB, 20" (51 cm), Early midseason bloom. Color Class-W4Y. Standards white; falls deep yellow. Raleigh Hills 1962. **\$4**

<http://wiki.irises.org/Ib/IbInterim>

Lakota (Marky Smith, R. 2013) Seedling #09-16B. IB, 23 (58 cm), Early to late midseason bloom. Standards grey-orange (RHS 168D) petal edges, centers and rib lavender, greyer tan 86D; style arms grey-orange (167D); falls petal rims grey-orange, upper fall and shoulders darker smoke-orange (167B), fine veins flaring from beard, lower half of center violet, greyer than 80C, grey-orange veining ending in orange rims; beards greyed red-orange (180B);

ruffled; luminata plicata. Salmon Creek 2014.

\$6

<http://wiki.irises.org/Ib/IbLakota>

Loreley (Goos and KoenemannTB. Midseason bloom. Color Class-Y3D. High Commendation, Royal Horticultural Society 1916. Characteristic of 'Loreley' is the imprint of the falls pattern that sometimes shows up on the standards. Note: Registered TB 'Loreley' but considered IB. **\$4**

<http://wiki.irises.org/Ib/IbLoreley>

Mini Big Horn (Robert Annand, R. 1998). Seedling #91-28A. IB, 22" (56 cm). Midseason bloom. Standards old gold; style arms old gold, midrib violet; falls purple blue flushed maroon on upper portion, 1/16" old gold edge; beards yellow orange blending to 1/2" purple horn. Forest Ranch 1998. **\$4**

<http://wiki.irises.org/Ib/IbMiniBigHorn>

Nickel (Paul Black, R. 2006). Seedling #K311A. IB, height 26" (66 cm), Midseason bloom. Standards butter yellow, wide medium blue-violet plicata band, darker midrib and dots and dashes through center; style arms medium red-violet; falls warm white, narrow blue-violet plicata band, some dotting inside band, pale violet center line and dart at end of beard; beards white tipped bright yellow; ruffled; pronounced spicy fragrance. Mid-America 2006. Honorable Mention 2008, Award of Merit 2010, Sass Medal 2012. **\$5**

<http://wiki.irises.org/Ib/IbNickel>

Verse (Joseph Gatty, R. 1978). Seedling #C60-1. IB, Height 18" (46 cm). Midseason bloom. Violet self with deeper red-violet spot on falls; blue beard tipped bronze. Honorable Mention 1981. Keppel 1979. **\$4**

<http://wiki.irises.org/Ib/IbVerse>

Voila (Joseph Gatty, R. 1972). Seedling #A9-B. IB, Height 20" (51 cm). Early bloom. Near pleroma violet (M&P 43-J-8), slightly deeper (43-L-9) F.; violet-blue beard. Keppel 1973. Honorable Mention 1974; Award of Merit 1976; Sass Medal 1978. **\$3**

<http://wiki.irises.org/Ib/IbVoila>

BBs

Blueberry Treats (Lynda Miller, R. 2013) Seedling #1708. BB, 24-25" (61-64 cm). Early midseason bloom. Standards light violet-blue, infused plum-purple in midribs; style arms light violet-blue infused plum-purple; falls velvety plum-purple; beard hairs based plum, tips burnt-orange; slight sweet fragrance. Salmon Creek 2013. Honorable Mention 2015. **\$6**

<http://wiki.irises.org/Bb/BbBlueberryTreats>

Pass The Pepper (J. Terry Aitken, R. 2012) Seedling #02T57C. BB, 25" (64 cm). Midseason bloom. Standards bright orange, brown hairline on petal edges; style arms bright orange; falls bright orange, tiny brown pepper spots, brown hairline on petal edges, orange more intense at smooth hafts; beards bright orange; sweet fragrance. Salmon Creek 2012. **\$6**

<http://wiki.irises.org/Bb/BbPassThePepper>

TBs

Belle Fille (Marky Smith, R. 2011). Seedling# 08-05B. TB, 34" (86 cm). Early to late bloom. Standards hyacinth violet (RHS 87A), primrose ruffled edge and base; style arms cream edged and rimmed yellow, crests lilac touched yellow; falls vatican purple (83A), thin cream edge, cream white area surrounding beard, rudimentary luminata cream veining just below white heart, surrounded in turn by 1/4" bright yellow ring bleeding out to brown shoulder, small white dart below beard; beards white base, hairs tipped yellow at end becoming solid golden poppy-orange (25A) in throat; heavily ruffled, luminata pattern; pronounced sweet fragrance. Salmon Creek 2015. **\$11**

<http://wiki.irises.org/TbAthruE/TbBelleFille>

Football Hero (Lynda Miller, R. 2014). Seedling# 8010A. TB, 36" (91 cm), Midseason bloom. Standards butter yellow; style arms same, accented violet; falls plum-purple, pale smoky orchid edged; beards gold; slight musky fragrance. President's Cup 2015. Salmon Creek 2015. **\$8**

<http://wiki.irises.org/TbFthruJ/TbFootballHero>

Gracious Me (J. T. Aitken, R. 2016). Seedling# 05T7. TB, 46" (117 cm), Late to very late bloom. Medium blue self; beards pale blue. Salmon Creek 2015. **\$9**

<http://wiki.irises.org/TbFthruJ/TbGraciousMe>

Great Balls Of Fire (J. Terry Aitken, R. 2011). Seedling# 02M2. TB, 38" (97 cm), Late midseason bloom. Standards fluorescent orange with pink flush on midribs; falls white zone around beard blending to bright yellow, bright orange at petal edges; beards brilliant orange.. Salmon Creek 2011. Award of Merit 2015. **\$6**

<http://wiki.irises.org/TbFthruJ/TbGreatBallsOfFire>

In Prayer (John McMillen, R. 2013). Seedling# 0711109. TB, 35 (89 cm), Midseason bloom. Standards near white tips darkening to deep blue base, lighter blue veining; style arms near white, deep blue stigmatic lip; falls near-white, slight blue cast; beards orange in throat, white end. McMillen 2013. **\$5**

<http://wiki.irises.org/TbFthruJ/TbInPrayer>

Rio Rojo (Schreiner, R. 2009). Seedling# SS 497-A. TB, 38" (97 cm), Early midseason bloom. Standards, style arms and falls red (RHS 61A); beards blue purple, yellow in throat; ruffled. Schreiner 2009. Honorable Mention 2011. Award of Merit 2015. **\$7**

<http://wiki.irises.org/TbPthruT/TbRioRojo>

Rosy Wings (L. Merton Gage, 1935) TB; Midseason bloom. Color Class-S6M. Fragrant. 'Dauntless' X mixed pollen. Honorable Mention 1934; Award of Merit 1936; American Dykes Medal 1939. **\$5**

<http://wiki.irises.org/TbPthruT/TbRosyWing>

Summer Sunburst (J. Terry Aitken, R. 2010). Seedling# 00T5A. TB, 34" (86 cm), Early midseason bloom and re-bloom. Standards, style arms, falls and beards intense yellow. Salmon Creek 2010. **\$6**

<http://wiki.irises.org/TbPthruT/TbSummerSunburst>

Surrender (Chet Tompkins, R. 1951). TB 38" Midseason to late bloom. Color Class-W4. White and yellow bicolor. Fleur de Lis 1951. Honorable Mention 1953. **\$4**

<http://wiki.irises.org/TbPthruT/TbSurrender>

SPECIES-X

Cast Ashore (Chuck Chapman, R. 1998). SPEC-X, 30" (76 cm), Midseason late bloom. Standards white, rosy lavender lines running lengthwise; style arms white, rosy lavender lines; Falls white, rosy lavender lines, small yellow signal. Natural hybrid: collected Bruce Peninsula, Ontario. Chapman Iris 1998. **\$5**

<http://wiki.irises.org/Main/Spx/SpxCastAshore>

SPECIES

I florentina (Collected Italy, introduced to northern Europe about 1500); TB; Early bloom season. Color Class-W1; White. **\$5**

<http://wiki.irises.org/Spec/SpecFlorentina#>

I Variegata var. Reginae (Ivo and Marija Horvat, 1947, Macedonia). 20-24" (50-60 cm). "Its blossom is somewhat larger than that of *Iris variegata*, which is closely related. The petals are narrower and longer than those of the latter. The ground color of the blossoms off-white, and the veins are a beautifully contrasting violet. On closer inspection the standards are also delicately shaded. The leaves are extremely crescent-shaped and their lengthwise veins stand out even more than *Iris variegata*. The standards are somewhat open, and the diameter of the blossom is up to 4" **\$5**

<http://wiki.irises.org/Spec/SpecReginae#>